

## National Marine Fisheries Service, Northwest Region 7600 Sand Point Way NE, Seattle, WA 98115 www.nwr.noaa.gov



## **PUBLIC NOTICE**

For Information Contact: The Groundfish Branch (206) 526-6140 Colby Brady (206) 526-6117 NMFS-SEA-12-16 FOR IMMEDIATE RELEASE October 17, 2012

## PACIFIC COAST GROUNDFISH FISHERY

Changes to commercial and recreational fishery management measures

The National Marine Fisheries Service (NMFS) announces changes to commercial and recreational fishery management measures for the Pacific Coast groundfish fishery off California, **effective November 1, 2012**.

The Pacific Fishery Management Council (Council) recommended changes to management measures at their September 13-18, 2012 meeting in Boise, ID. Changes to management measures are being implemented in an October 17, 2012 *Federal Register* (77 FR 63758) notice that will become effective on November 1, 2012. These changes are described in this public notice.

### **Commercial Fishery**

Open Access (OA) Fixed Gear Sablefish Fisheries South of 36° N. lat.

For complete regulations governing the open access fixed gear groundfish fishery, please see Title 50 CFR Part 660, subpart F. Current trip limit tables, Tables 1-3 (North and South), are included at the end of this public notice.

The Council considered the most recently available fishery data in order to monitor catch and develop appropriate trip limits for this fishery for 2012 such that: catch of sablefish south of 36° N. lat. does not exceed the sablefish ACL while ensuring year-round fishing and marketing opportunities.

The Council recommended and NMFS is implementing the following increased trip limits for 2012, beginning November 1, which are anticipated to achieve, but not exceed the fishery's southern portion of the 2012 sablefish ACL:

• Open Access Fixed Gear, South of 36° N. lat., from "300 lb per day, or one landing per week of up to 1,350 lb, not to exceed 2,700 lb per two months" to "350 lb per day, or one landing per week of up to 1,750 lb, not to exceed 3,500 lb per 2 months" beginning in period 6, November 1, 2012 through the end of the year.

See Table 3 (North) and Table 3 (South) to Subpart F, attached, for this change to sablefish trip limits.

Visit the NMFS Northwest Region website for current groundfish management regulations, VMS information, and RCA boundary coordinates. http://www.nwr.noaa.gov/Groundfish-Halibut/index.cfm

#### **Groundfish E-mail Group**

Subscribe to "wcgroundfish" by visiting the following website: <a href="http://www.nwr.noaa.gov/Groundfish-Halibut/Groundfish-Fishery-Management/Public-Notices/Index.cfm">http://www.nwr.noaa.gov/Groundfish-Halibut/Groundfish-Fishery-Management/Public-Notices/Index.cfm</a> and clicking "sign up"

Effective November 1, 2012

#### **Recreational Fishery**

California Southern Management Area (SMA) Rockfish Conservation Area (RCA) adjustments south of 34°27' N. lat.

The Council recommended and NMFS is implementing a shift to the seaward boundary line of the recreational RCA in the SMA south of 34°27' N. lat. from the 60 fathom (110 meters) depth contour to the 50 fathom (91 meters) depth contour, beginning November 1, 2012.

Due to uncertainty in the catch estimates, and to reduce the potential for cowcod mortality to exceed the non-trawl allocation in 2012, the Council

considered modifications to the current SMA RCA boundary. Recreational fishing for most groundfish is currently prohibited seaward of a boundary line approximating the 60 fathom (110 meters) depth contour in California south of 34°27' N. lat. The new boundary would expand the closed area, restricting fishing to the area seaward of a boundary line approximating the 50 fathom (91 meters) depth contour, south of 34°27' N. lat.

This new SMA depth restriction will remain in effect for future years, March 1 through December 31, until rescinded or superseded.

Trip limit tables, effective November 1, 2012 are included at the end of this public notice.

For more information contact: NMFS Northwest Region at 206-526-6117 or visit our website at http://www.nwr.noaa.gov, click on "Groundfish & Halibut;"; Washington Department of Fish and Wildlife at 360-249-4628; Oregon Department of Fish and Wildlife at 541-867-4741; or the California Department of Fish and Game at 707-441-5797 (Eureka), 650-631-6789 (Belmont), 831-649-2804 (Monterey), 562-342-7111 (Los Alamitos).

Any discrepancies between this public notice and the Federal Register will be resolved in favor of the Federal Register.

This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

04012012

⋗

 $\Box$ 

Ш

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfis	h Conservation Area (RCA) 1/:						
1	North of 48°10' N. lat.	shore - modified <sup>2/</sup> 200 fm line <sup>1/</sup>	shore - 200 fm line <sup>1/</sup>	shore - 15	50 fm line <sup>1/</sup>	shore - 200 fm line <sup>1/</sup>	shore - modified <sup>2/</sup> 200 fm line <sup>1/</sup>
2	48°10' N. lat 45°46' N. lat.	75 fm line <sup>1/</sup> - modified <sup>2/</sup> 200 fm line <sup>1/</sup>	75 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>	75 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>
3	45°46' N. lat 40°10' N. lat.	- <b>·</b>	75 fm line1/ -	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>	75 fm line <sup>1/</sup> - modified <sup>2/</sup> 200

Selective flatfish trawl gear is required shoreward of the RCA; all bottom trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope and small footrope trawl gears (except for selective flatfish trawl gear) are prohibited shoreward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season. **Vessels fishing groundfish** 

trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 1 (North) and 1 (South) to Part 660, Subpart E.

See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).

State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.

4	Minor nearshore rockfish & Black rockfish	300 lb/ month					
5	Whiting						
6	midwater trawl	Before the primary whiting season: CLOSED During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details After the primary whiting season: CLOSED.					
7	large & small footrope gear	Before the primary whiting season: 20,000 lb/trip During the primary season: 10,000 lb/trip After the primary whiting season: 10,000 lb/trip.					
8	Cabezon						
9	North of 46°16' N. lat.	Unlimited					
10	46°16' N. lat 40°10' N. lat.	50 lb/ month					
11	Shortbelly	Unlimited					
12	Spiny dogfish	60,000 lb/ month					
13	Longnose skate	Unlimited					
14	Other Fish 3/	Unlimited					

<sup>1/</sup> The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

Effective November 1, 2012

<sup>2/</sup> The "modified" fathom lines are modified to exclude certain petrale sole areas from the RCA.

<sup>3/ &</sup>quot;Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skate), ratfish, morids, grenadiers, and kelp greenling.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

# Table 1 (South) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting South of 40°10' N. Lat.

This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

01012012

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
ockfish Conservation Area (RCA) 1/:					,			
South of 40°10' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/2/</sup>							
small footrope trawl gear is required shorever trawl gear) is permitted seaward of the RG shing groundfish trawl quota pounds we limited entry groundfish trawl fishery roundfish trawl quota pounds with groundfish trawl quota gear non-trawl fixed gear non-trawl gear non-trawl gear non-trawl gear non-trawledge.	CA. Large footrop vith groundfish n landing allowan undfish non-trav	e trawl gear and on-trawl gears, ces in this table vl gears, under	midwater trawl ge under gear switc , regardless of th gear switching pr	ar are prohibited shing provisions type of fishing ovisions at § 66	shoreward of the lost \$ 660.140, ar gear used. Ve. 50.140, are subject.	RCA. Vessels e subject to the ssels fishing		
See § 660.60, § 660.130, and § 660.140 ( 60.70-660.74 and §§ 660.76-660.79 for Co	onservation Are		and Coordinates	•				
State trip limits and seasons ma	ay be more restric	ctive than federal	trip limits, particula	arly in waters off (	Oregon and Califo	rnia.		
Longspine thornyhead								
South of 34°27' N. lat.			24,000 lb/ 2 months					
Minor nearshore rockfish & Black rockfish	300 lb/ month							
Whiting								
midwater trawl	Before the primary whiting season: CLOSED During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details After the primary whiting season: CLOSED.  Before the primary whiting season: 20,000 lb/trip During the primary season: 10,000 lb/trip After the primary whiting season: 10,000 lb/trip.							
large & small footrope gear								
Cabezon			50 lb/	month				
Shortbelly			Unlin	nited				
10 Spiny dogfish			60,000 lb	o/ month				
Longnose skate			Unlin	nited				

Unlimited

Unlimited

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

12 California scorpionfish

13 Other Fish 3/

<sup>1/</sup> The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

<sup>2/</sup> South of 34°27' N. lat., the RCA is 100 fm line - 150 fm line along the mainland coast; shoreline - 150 fm line around islands.

<sup>3/ &</sup>quot;Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (excluding longnose skate), ratfish, morids, grenadiers, and kelp greenling.

Table 2 (North) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table 09012012 NOV-DEC SEP-OCT Rockfish Conservation Area (RCA) 6/: North of 46°16' N. lat. shoreline - 100 fm line<sup>6/</sup> 30 fm line<sup>6/</sup> - 100 fm line<sup>6/</sup> 46°16' N. lat. - 43°00' N. lat. 43°00' N. lat. - 42°00' N. lat. 20 fm line<sup>6/</sup> - 100 fm line<sup>6/</sup> 42°00' N. lat. - 40°10' N. lat. 20 fm depth contour - 100 fm line<sup>6</sup> See § 660.60 and § 660.230 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish 2/ & 4,000 lb/ 2 months Darkblotched rockfish Pacific ocean perch 1,800 lb/ 2 months 1 300 lb per week not to 1 000 lb per week not to 800 lb per week, not to exceed Sablefish exceed 5,000 lb/2 months xceed 4,000 lb/2 months 1.600 lb/2 months Longspine thornyhead 10,000 lb/ 2 months 9 Shortspine thornyhead 2,000 lb/ 2 months 10 Dover sole 5,000 lb/ month 11 Arrowtooth flounder South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no 12 Petrale sole more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 13 English sole mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to 14 Starry flounder 15 Other flatfish 1/ 16 Whiting 10,000 lb/ trip 0 Minor shelf rockfish<sup>2/</sup>, Shortbelly, 200 lb/ month Widow, & Yellowtail rockfish 18 Canary rockfish CLOSED 19 Yelloweye rockfish CLOSED Minor nearshore rockfish & Black rockfish 5.000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue North of 42° N. lat rockfish 3/ 8,500 lb/2 months, of which no more than 1,200 lb may be species other than black rockfish 3/ 22 42° - 40°10' N. lat. 400 lb/ CLOSE 23 Lingcod<sup>4/</sup> CLOSED 800 lb/2 months month D

200,000 lb/ 2 months

1.000 lb/2 months

Unlimited

100.000 lb/ 2 months

150,000 lb/ 2

months

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

24 Pacific cod

<sup>26</sup> Other fish<sup>5/</sup>

25 Spiny dogfish

<sup>1/ &</sup>quot;Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
2/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish.

<sup>3/</sup> For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.

<sup>4/</sup> The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat 5/ "Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon and longnose skate are included in the trip limits for "other fish."

and keip greening. Cabezon and longinose skate are included in the trip limits for other lash.

(6) The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. Lat.

09012012 Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table JAN-FEB NOV-DEC Rockfish Conservation Area (RCA)<sup>5/</sup>: 30 fm line<sup>5/</sup> - 150 fm line<sup>5/</sup> 40°10' - 34°27' N. lat. 60 fm line<sup>5/</sup> - 150 fm line<sup>5/</sup> (also applies around islands) South of 34°27' N. lat. See § 660.60 and § 660.230 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish<sup>2/</sup> & 40.000 lb/ 2 months Darkblotched rockfish Splitnose 40,000 lb/ 2 months Sablefish 1.300 lb/ week, not to exceed 1.000 lb per week, not to 800 lb per week, not to exceed 40°10' - 36° N. lat 5.000 lb/ 2 months xceed 4,000 lb/2 months 1,600 lb/2 months South of 36° N. lat. 1,800 lb/ week 8 Longspine thornyhead 10,000 lb / 2 months 9 Shortspine thornyhead D 40°10' - 34°27' N. lat. 2,000 lb/ 2 months  $\Box$ South of 34°27' N. lat. 3,000 lb/ 2 months 12 Dover sole 13 Arrowtooth flounder 5,000 lb/ month Ш South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no 14 Petrale sole more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 15 English sole mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to 16 Starry flounder the RCAs. S 17 Other flatfish 1/ 0 18 Whiting 10,000 lb/ trip 19 Minor shelf rockfish<sup>2/</sup>, Shortbelly, Widow rockfish, and Bocaccio (including Chilipepper between 40°10' - 34°27' N. lat.) Minor shelf rockfish, shortbelly, widow rockfish, bocaccio & chilipepper: 2,500 lb/ 2 months, of 40°10' - 34°27' N. lat. which no more than 500 lb/2 months may be any species other than chilipepper. 3,000 lb/2 **CLOSED** 3,000 lb/ 2 months 4,000 lb/ 2 months South of 34°27' N. lat. months 22 Chilipepper rockfish Chilipepper included under minor shelf rockfish, shortbelly, widow and bocaccio limits - - See 40°10' - 34°27' N. lat. South of 34°27' N. lat. 2,000 lb/2 months, this opportunity only available seaward of the nontrawl RCA 25 Canary rockfish CLOSED 26 Yelloweye rockfish CLOSED 27 Cowcod CLOSED 28 Bronzespotted rockfish CLOSED 29 Bocaccio 40°10' - 34°27' N. lat. Bocaccio included under Minor shelf rockfish, shortbelly, widow & chilipepper limits -- See above 30 300 lb/ 2 CLOSED 31 South of 34°27' N. lat. 300 lb/2 months 500 lb/2 months months

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	Ι
2 <b>N</b>	Minor nearshore rockfish & Black roc	kfish						
3	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	1,000 lb/ 2 months	7
1	Deeper nearshore		<b>.</b>	•	<b></b>			] r
5	40°10' - 34°27' N. lat.	700 lb/ 2 months	01 0055	700 lb/ 2 months			_	Г
6	South of 34°27' N. lat.	500 lb/ 2 months	CLOSED	600 lb/ 2 months	900 lb/ 2 months			1
7	California scorpionfish	1,200 lb/ 2 months <sup>7/</sup>	CLOSED	1,200 lb/ 2 months	1,200 lb/ 2 months			0
- 8 <b>L</b>	ingcod <sup>3/</sup>	CLOSED		800 lb/ 2 months		3	400 lb/ CLOSE month D	-
9 <b>F</b>	Pacific cod			1,000 lk	o/ 2 months			Œ
0 5	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months 100,000 lb/ 2 mor		nths		
1 (	Other fish <sup>4/</sup>	Unlimited						L

<sup>1/ &</sup>quot;Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

<sup>2/</sup> POP is included in the trip limits for minor slope rockfish. Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

<sup>3/</sup> The commercial mimimum size limit for lingcod is 24 inches (61 cm) total length South of  $42^{\circ}$  N. lat.

<sup>4/ &</sup>quot;Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon and longnose skate are included in the trip limits for "other fish."

<sup>5/</sup>The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table SEP-OCT JAN-FEB MAR-APR NOV-DEC Rockfish Conservation Area (RCA)<sup>6/</sup>: shoreline - 100 fm line<sup>6/</sup> North of 46°16' N. lat. 30 fm line<sup>6/</sup> - 100 fm line<sup>6</sup> 46°16' N. lat. - 43°00' N. lat. 20 fm line<sup>6/</sup> - 100 fm line<sup>6/</sup> 43°00' N. lat. - 42°00' N. lat. 20 fm depth contour - 100 fm line<sup>6</sup> 42°00' N. lat. - 40°10' N. lat. See § 660.60, § 660.330, and § 660.333 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. <sub>5</sub> Minor slope rockfish <sup>1/</sup> & Darkblotched Per trip, no more than 25% of weight of the sablefish landed 6 Pacific ocean perch 100 lb/ month 7 Sablefish 300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 1,800 lb/ 2 months  $\triangleright$  $\Box$ Thornyheads CLOSED Dover sole 10 Arrowtooth flounder 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 11 Petrale sole 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 12 English sole hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) 13 Starry flounder point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. 14 Other flatfish<sup>2/</sup> Z 15 Whiting 300 lb/ month 0 Minor shelf rockfish 1/, Shortbelly, 200 lb/ month Widow, & Yellowtail rockfish 17 Canary rockfish CLOSED **5** 18 Yelloweye rockfish CLOSED Minor nearshore rockfish & Black rockfish 5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish 3/220 North of 42° N lat 8,500 lb/ 2 months, of which no more than 1,200 lb may be species other than black rockfish  $^{\rm 3/}$ 21 42° - 40°10' N. lat 22 Lingcod<sup>4/</sup> CLOSED CLOSED 400 lb/ month 23 Pacific cod 1,000 lb/ 2 months 24 Spiny dogfish 200,000 lb/ 2 months 100.000 lb/ 2 months

25 Other Fish<sup>5/</sup>

Unlimited

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
6 5	SALMON TROLL (subject to RCAs whe	n retaining all spec	ies of groundfisl	h except for yello	owtail rockfish and	d lingcod, as de	scribed below)	]
Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. Salmon trollers may retain and land up to 1 lingcod per 15 Chinook per trip, plus 1 lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. This limit only applies during times when lingcod retention is allowed, and is not "CLOSED." This limit is within the per month limit for lingcod described in the table above, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.								
F	PINK SHRIMP NON-GROUNDFISH TR	AWL (not subject	to RCAs)					3
)	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish							

<sup>1/</sup> Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for minor shelf rockfish. Splitnose rockfish is included in the trip limits for minor slope rockfish.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

<sup>2/ &</sup>quot;Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

<sup>3/</sup> For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

<sup>4/</sup> The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.

 <sup>4/ &</sup>quot;Other fish" are defined at § 660.11 and include sharks (except spiny doofish), skates (except longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon and longnose skate are included in the trip limits for "other fish."
 6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

Table 3 (South) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table JAN-FEB SEP-OCT NOV-DEC Rockfish Conservation Area (RCA)<sup>5/</sup>: 30 fm line $^{5/}$  - 150 fm line $^{5/}$ 40°10' - 34°27' N. lat. 60 fm line<sup>5/</sup> - 150 fm line<sup>5/</sup> (also applies around islands) South of 34°27' N lat See § 660.60, § 660.330, and § 660.333 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish 1/8 Darkblotched 3 rockfish Per trip, no more than 25% of weight of the sablefish landed 40°10' - 38° N. lat 5 South of 38° N. lat 10,000 lb/ 2 months 6 **Splitnose** 200 lb/ month Sablefish 300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 1,800 lb/ 2 months 8 40°10' - 36° N. lat anding per week of 300 lb/ day, or 1 landing per week of up to 1,350 lb, not to exceed 2,700 lb/ 2 ➣ 9 up to 1,750 lb, not to South of 36° N. lat months exceed 3,500 lb/ 2  $\Box$ 10 Thornyheads Ш 11 CLOSED 40°10' - 34°27' N. lat 50 lb/ day, no more than 1,000 lb/ 2 months South of 34°27' N. lat 13 Dover sole 14 Arrowtooth flounder 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of S 15 Petrale sole  $42^{\circ}$  N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 0 16 English sole hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) ⊆ point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. 17 Starry flounder 18 Other flatfish 2/ 7 19 Whiting 300 lb/ month Minor shelf rockfish 1/, Shortbelly, Widow & Chilipepper rockfish 300 lb/ 2 months 200 lb/2 months 21 300 lb/2 months 40°10' - 34°27' N. lat CLOSED 750 lb/ 2 750 lb/2 months 1,000 lb/2 months 22 South of 34°27' N. lat months CLOSED 23 Canary rockfish 24 Yelloweye rockfish CLOSED 25 Cowcod CLOSED 26 Bronzespotted rockfish CLOSED 27 Bocaccio 28 200 lb/ 2 months 100 lb/ 2 months 200 lb/2 months 40°10' - 34°27' N lat CLOSED

South of 34°27' N. lat.

29

100 lb/2 months

100 lb/2 months

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
()	inor nearshore rockfish & Black ockfish			<b>-</b>		<b>P</b>	***************************************	
1	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	1,000 lb/ 2 months	
2	Deeper nearshore							
3	40°10' - 34°27' N. lat.	700 lb/ 2 months	CLOSED	700 lb/ 2 months		900 lb/ 2 mon	ths	
4	South of 34°27' N. lat.	500 lb/ 2 months	OLOGED	600 lb/ 2 months	900 lb/ 2 monus			
5	California scorpionfish	1,200 lb/ 2 months	CLOSED		1,200 lb/ 2 months			
6 Li	ingcod <sup>3/</sup>	CLOS	ED		400 lb/ m	onth	CLOSED	
7 P	acific cod			1,000 li	b/ 2 months		·	
8 <b>S</b>	piny dogfish	200,000 lb/ 2	2 months	150,000 lb/ 2 months	100 000 in/ 2 months			
9 <u>o</u>	ther Fish <sup>4/</sup>			Ur	nlimited			
	IDGEBACK PRAWN AND, SOUTH OF	38°57.50' N. LAT.,	CA HALIBUT	AND SEACUC	JMBER NON-G	ROUNDFISH T	RAWL	
1	NON-GROUNDFISH TRAWL Rockfis	h Conservation	Area (RCA) for	CA Halibut, Se	a Cucumber & F	Ridgeback Prav		
?	40° 10' - 38° N. lat.	100 fm line - 200 fm line <sup>6/</sup>		100 fm line <sup>5/</sup> - 150 fm line <sup>5/</sup> 150 fm line <sup>5/</sup> 100				
3	38° - 34° 27' N. lat.			100 fm line	<sup>5/</sup> - 150 fm line <sup>5/</sup>		•	
1	South of 34° 27' N. lat.	100 fm line <sup>5/</sup>	- 150 fm line <sup>5/</sup>	along the mainla	and coast; shoreli	ine - 150 fm line	<sup>5/</sup> around islands	
_		toward the 300 amount of the ta amount of targe The daily trip lim groundfish "per tr in the Californi groundfish witho land up to 3,000 sanddabs, sar	O Ib groundfish rget species lande tspecies lande hits for sablefish ip" limit may not a halibut fishery ut the ratio required by/month of fland sole, starry for the restriction of the sole, starry for the restriction of the sole, starry for the species land species la	per trip limit. The nded, except that d. Spiny dogfish n coastwide and to be multiplied by south of 38°57. Jirement, provide tfish, no more that lounder, rock sol	e amount of grou t the amount of s n are limited by th thornyheads sou y the number of c 50' N. lat. are allo ed that at least on an 300 lb of whici	ndfish landed m piny dogfish lan- te 300 lb/trip over th of Pt. Concep- days of the trip. owed to (1) land the California haliful hand the California scorp	apply and are counted ay not exceed the ded may exceed the reall groundfish limit. otton and the overall Vessels participating up to 100 lb/day of but is landed and (2) as other than Pacific pionfish (California 31).	
5 <b>P</b> I	INK SHRIMP NON-GROUNDFISH TRA	WL GEAR (not s	ubject to RCAs	5)				
7	South	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of all groundfish species count toward the per day, per trip or other species-specific sublimits described here and the species-specific limits described in the table above do not apply. The amount of groundfish landed may not exceed the amount of pink shrimp landed.						

<sup>1/</sup> Yellowtail rockfish is included in the trip limits for minor shelf rockfish. POP is included in the trip limits for minor slope rockfish. Bronzespotted rockfish have a species specific trip limit.

2/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

<sup>3/</sup> The commercial mimimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

<sup>4/ &</sup>quot;Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (including longnose skates), ratfish, morids, grenadiers,

and kelp greenling.

5/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose

other than transiting.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.